

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

7		FOR INSURANCE COMPANY USE					
BUILDING OWNER'S NAME		POLICY NUMBER					
BEAUFORT CON							
STREET ADDRESS (Including Ap 2662 BROAD S	COMPANY NAIC NUMBER						
OTHER DESCRIPTION (Lot and							
LOT 20 BROAD							
CITY				STATE	ZIP CODE		
BEAUFORT	CECTION D. FI	OOD INCLED		OUTH CARO	LINA 29902		
	SECTION B FI		NCE RATE MAP (FIRM)	INFORMATION			
Provide the following from t	he proper FIRM (See	Instructions):					
1. COMMUNITY NUMBER	2, PANEL NUMBER	3 SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6 BASE FLOOD ELEVATION (in AO Zones, use depth)		
450026	0005	D	11-4-92	A-8	13.00		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XX NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:							
	SECTI	ON C BUILDI	NG ELEVATION INFORM	MATION			
of 114195 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in accordance of the FIRM [see Section equation under Comments on Pathe FIRM [see Section equ	AE, AH, and A (with let NGVD (or other FIF VE, and V (with BFE) is at an elevation of the BFE). The floor use the highest grade at floor used as the reference adjacent to the build ordance with the compatum system used in case 2). (NOTE: If the B, Item 7], then convents on Page 2.) k used appears on FI ation is based on: XX	BFE). The top RM datum—see). The bottom of	Section B, Item 7). of the lowest horizontal state feet NGVD (or other FIF nace level from the selected building. In the selected diagram is a depth number is available lain management ordinant above reference level elem used in measuring the last to the datum system used in Sections of the datum system used in Sections of the datum system used in Sections of the	ructural member RM datum—see Sind diagram is the diagram is the building ace? Yes vertions XX NG elevations is different on Page 4)	ection B, Item 7). ———————————————————————————————————		
case this certificate will of will be required once core. 6. The elevation of the low Section B, Item 7).	only be valid for the bu astruction is complete	uilding <mark>d</mark> uring th .)	ne course of construction.	A post-construc	tion Elevation Certificate		
	S	ECTION D C	OMMUNITY INFORMATI	ON			
is not the "lowest floor" a	as defined in the comordinance is:	munity's floodp feet	lain management ordinar NGVD (or other FIRM dat	ice, the elevation			

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix	A		
David E. Gasque	10506			
TITLE	COMPANY NAME			
Professional Land Surveyor	Gasque & Associat	es, Inc.		
ADDRESS	CITY		STATE	ZIP
28 Professional Village Circle	Beaufort	South	Carolina	29902
SIGNATURE - 1114	DATE 11-5-99	PHONE 843-5	522-1798	
Copies should be made of this Certificate for: 1) comm	munity official, 2) insurance agent/o	company, and	d 3) building ow	ner.
COMMENTS: JOB# 15,450	Carrier Sall		.,,	
	Contraction of Manager			
	GASQUE			
	ASSOCIATES, IND.			
	Celege OF 1 2000			

47 PM



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.