## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

		FOR INSURANCE COMPANY USE						
BUILDING OWNER'S NAME		POLICY NUMBER						
KENT & JOAN	P1							
STREET ADDRESS (Including A		COMPANY NAIC NUMBER						
OTHER DESCRIPTION (Lot and I								
LOT A31 BATT	ERY POINT							
BEAUFORT				STATE SOUTH CAR	ZIP CODE ROLINA 29902			
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	COLINA 23302			
Provide the following from the								
1. COMMUNITY NUMBER	2. PANEL NUMBER	3, SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION			
450025	0065	D	11-4-92	A-8	(in AO Zones, use depth) 13.00			
7. Indicate the elevation dat			4—————————————————————————————————————					
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XXNGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate								
the community's BFE:	feet N	GVD (or other	FIRM datum-see Section	B, Item 7).	time strong site, melocite			
SECTION C BUILDING ELEVATION INFORMATION								
<ul> <li>(c). FIRM Zone A (without below (check one)</li> <li>(d). FIRM Zone AO. The floore) the highest grade level) elevated in accord.</li> <li>Indicate the elevation dat under Comments on Page</li> </ul>	AE, AH, and A (with E the NGVD (or other FIR VE, and V (with BFE), is at an elevation of L BFE). The floor used the highest grade ad door used as the refer adjacent to the building rdance with the commum system used in de e 2). (NOTE: If the e B, Item 7), then conve	M datum—see The bottom of the	Section B, Item 7).  of the lowest horizontal structure in the selected uilding.  In the selected diagram is depth number is available ain management ordinance above reference level elected.	uctural member of M datum—see Sed diagram is ——  L + feet able, is the building's ce?  Yes  Vations: XX NGV	of the reference level from ction B, Item 7).  Let feet above or or or below (check is lowest floor (reference No Unknown D'29 Other (describe ent than that used on			
4. Elevation reference mark used appears on FIRM: $\overline{}$ Yes $\overline{XX}$ No (See Instructions on Page 4)								
5. The reference level elevation is based on: XXactual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)								
6. The elevation of the lower Section B, Item 7).	st grade immediately	adjacent to the	e building is: 7.4	17 feet NGVD (	or other FIRM datum-see			
4	SE	CTION D CO	MMUNITY INFORMATIO	)N				
If the community official resist not the "lowest floor" as floor" as defined by the or     Date of the start of construction.	defined in the comm dinance is:	unity's floodpla	ain management ordinand IGVD (or other FIRM datu	e, the elevation o	f the building's "lowest			

## SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

	LICENSE NUMBER (or Affix Seal)						
CERTIFIER'S NAME	10506						
DAVID E. GASQUE	COMPANY NAME						
TITLE		& ASSOCIATES,	INC	- 42			
PROFESSIONAL LAND SURVEYO	CITY	X 11000	STATE	ZIP.			
ADDRESS	BEAUFORT	SOUTH	CAROLINA	29902			
703 BLADEN STREET	BEROLOGI	DATE 6-2-99	PHONE 843-522-179	8			
Copies should be made of this Certificate for: 1	) community official			Fre			
UNDER CONSTRUCTI	ON	SUTH CAROLINA					
GARAGE IS AT 7.4	20	GASQUE & ASSOCIATED, IIID. E	9 9 9 9 9 9				
	<b>L</b>		999				

## \*\*THIS CERTIFICATE VALID ONLY FOR THE BUILDING OWNERS SPECIFIED IN SECTION A



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.